

nexgen pharma®

CERTIFICATION OF COMPLIANCE
GENERAL CERTIFICATION OF CONFORMITY

Section 1: Product Identification

-53mm SAF-CAP I CLOSURE on a 750ml HDPE ROUND BOTTLE
-33mm SAF-CAP I CLOSURE on a 750ml HDPE ROUND BOTTLE
-38mm SAF-CAP I CLOSURE on a 150cc ROUND BOTTLE
-45mm SAF-CAP I CLOSURE on a HDPE ROUND BOTTLE

Section 2: Applicable CPSC Product Safety Regulation

The test unit(s) was evaluated by using the Consumer Product Safety Commission CPSC) Protocol and Standards. In the study, the test unit(s) fulfills the requirements for senior-resecuring effectiveness and child resistant closures as per the Code of Federal Regulations (CFR) Title 16, Part 1700, with final rule changes cited in the Federal Register, Vol. 60, No. 140, Friday, July 21, 1995, pp 37710 to 37744.

Section 3: Foreign or Domestic Manufacturer of the Product

Van Blarcom Closures, Inc.
156 Sanford Street
Brooklyn, NY 11205

Section 4: Identification of U.S. Importer

Not Applicable (NA)

Section 5: Identification of Private Labeler

Not Applicable (NA)

Section 6: Contact Information – Record Retention

Kyle J. Hendrickson
Corporate Quality & Compliance Officer
n e x g e n p h a r m a ®
1835 E. Cheyenne Road
Colorado Springs, CO 80906
P: 719.579.9650 / F: 719.579.9651

Section 7: Date and Location of Product Manufacture


Van Blarcom Closures, Inc. - 2008
156 Sanford Street
Brooklyn, NY 11205

Section 8: Date and Location of Product Testing

Perritt Laboratories –November 22, 1996 thru August 6, 1998
145 South Main Street, PO Box 147
Highstown, NJ 08520

Section 9: Identification of 3rd Party Testing Laboratory

Perritt Laboratories
145 South Main Street, PO Box 147
Highstown, NJ 08520


Kyle J. Hendrickson
Corporate Quality & Compliance Officer
n e x g e n p h a r m a ®

12/20/08
Date